

Exam Questions 640-692

RSTECH Supporting Cisco routing and Switching Network Devices

<https://www.2passeasy.com/dumps/640-692/>



NEW QUESTION 1


The colored wires at one end of the cable in the reverse sequence of the colored wires at the other end of the cable. Which cable does this describe?

- A. Rolled
- B. Coaxial
- C. Crossover
- D. Straight-through

Answer: A

NEW QUESTION 2


DRAG DROP



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 3

How does a Cisco switch respond if you boot it without a valid configuration in the NVRAM?

- A. it enters setup mode.
- B. it uses the running –configuration
- C. It prompts you to restore the startup configuration
- D. it enters user EXEC mode.

Answer: B

NEW QUESTION 4

Which address facilitates the routing of packets over an IP network?

- A. MAC
- B. transport
- C. network
- D. physical

Answer: C

NEW QUESTION 5

Which of the following best describes the port on a laptop that is used to connection to an Ethernet port on a Cisco Switch?

- A. RJ-45
- B. RJ-11
- C. VGA
- D. DVI
- E. DB-9

Answer: A

NEW QUESTION 6

Which two pairs of LAN Ethernet devices use an RJ-45 Straight-through cable? (Choose two)

- A. Switch to switch
- B. Switch to router
- C. Switch to server
- D. Router to router
- E. Switch to hub

Answer: BC

NEW QUESTION 7

Refer to the exhibit.

```
Router# copy ftp flash
Address or name of remote host []? 192.168.2.167
Source filename []? c1600-k8osy-mz.123-16a.bin
Destination filename [c1600-k8osy-mz.123-16a.bin]?
Accessing tftp://192.168.2.167/c1600-k8osy-mz.123-16a.bin...
Erase flash: before copying? [confirm]
Erasing the flash filesystem will remove all files! Continue? [confirm]
Erasing device...
.....
..... ..erased
Erase of flash: complete
Loading c1600-k8osy-mz.123-16a.bin from 192.168.2.167 (via Ethernet0):
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
[OK - 6888962/13777920 bytes]

Verifying checksum... OK (0x7BF3)
6888962 bytes copied in 209.920 secs (32961 bytes/sec)
Router#
```

Why is flash memory erased prior to upgrading the IOS image from the TFTP server?

- A. The router cannot verify that the Cisco IOS image currently in flash is valid.
- B. Flash memory on Cisco routers can contain only a single IOS image.
- C. Erasing current flash content is requested during the copy dialog.
- D. In order for the router to use the new image as the default, it must be the only IOS image in flash.

Answer: C

NEW QUESTION 8


Which two pieces of information does the show ip interface brief command display? (Choose two)

- A. Encapsulation type
- B. Interface status
- C. Layer 2 address
- D. Layer 3 address
- E. Keep alive

Answer: BD

NEW QUESTION 9

Refer to the exhibit.



Of which cable type this an example?

- A. RJ-45 straight-through
- B. RJ-45

- C. RJ-45 rollover
- D. RJ-11
- E. RJ-45 crossover

Answer: E

NEW QUESTION 10

Which command displays the configuration register setting?

- A. show config-register
- B. show flash
- C. show running-config
- D. show version

Answer: D

NEW QUESTION 11

At the interface configuration prompt, which command returns you to the main configuration prompt?

- A. Ctrl-Z
- B. end
- C. exit
- D. quit

Answer: C

NEW QUESTION 12

Which layer of the IOS model defines how data is formatted for transmission and how access to the physical media is controlled?

- A. Physical
- B. Data link
- C. Network
- D. Transport

Answer: B

NEW QUESTION 13

When using a modem to provide out-of-band access to a Cisco router, which cable is used to connect the modem to the router?

- A. DB-25 to RJ-45
- B. RJ-45 to RJ-45
- C. RJ-44 to RJ-45
- D. DB-9 to RJ-45
- E. DB-45 to RJ-45

Answer: A

NEW QUESTION 14

Which sequence begins a unique local IP address in binary notation?

- A. 1111110
- B. 1111111
- C. 00000000
- D. 1111100

Answer: A

NEW QUESTION 15

Which two locations can be configured as a source for the IOS image in the boot system command? (Choose two.)

- A. RAM
- B. NVRAM
- C. flash memory
- D. HTTP server
- E. TFTP server
- F. Telnet server

Answer: CE

NEW QUESTION 16

Which of the following is a DTE device?

- A. router
- B. CSU/DSU
- C. cable modem

D. DSL modem

Answer: A

NEW QUESTION 17

Which command initiates the transfer of a Cisco IOS image over IP from ROMMON?

- A. copy tftp: flash:
- B. copy flash: tftp:
- C. tftpdnld
- D. xmodem

Answer: C

NEW QUESTION 18

Which interface card is an encryption module?

- A. NME-VMSS-16
- B. NME-CUSP-522
- C. AIM-VPN/SSL-3
- D. M-1A-OC3-POM

Answer: C

NEW QUESTION 19

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 640-692 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 640-692 Product From:

<https://www.2passeasy.com/dumps/640-692/>

Money Back Guarantee

640-692 Practice Exam Features:

- * 640-692 Questions and Answers Updated Frequently
- * 640-692 Practice Questions Verified by Expert Senior Certified Staff
- * 640-692 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 640-692 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year